FORM PTO-1390 (Modified) REV 10-95) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE 0018-1093-0 PCT TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR CONCERNING A FILING UNDER 35 U.S.C. 371 INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED PCT/JP98/03011 03 JULY 1998 04 JULY 1997 TITLE OF INVENTION BRAIN-PROTECTIVE AGENT APPLICANT(S) FOR DO/EO/US Shigeki ONO, et al. Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 1. 2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 3. A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. X 4. A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) is transmitted herewith (required only if not transmitted by the International Bureau). X has been transmitted by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US). \times A translation of the International Application into English (35 U.S.C. 371(c)(2)). A copy of the International Search Report (PCT/ISA/210). Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). b. 🗀 have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)). A copy of the International Preliminary Examination Report (PCT/IPEA/409). 12. A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)). Items 13 to 18 below concern document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 13. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 14. 15. A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. 16. A substitute specification. A change of power of attorney and/or address letter. 17. 18. Certificate of Mailing by Express Mail 19. \times Other items or information:

PCTUS1/REV03

Request for Consideration of Documents Cited in International Search Report

Notice of Priority PCT/IB/304 PCT/IB/308

514 Rec'd PCT/PTO 0 4 JAN 2000

U.S. APPLIO	CATION	109 K10414639 FF 3		L APPLICA / JP98/030			ł	'S DOCKET NUMBER 1093-0 PCT
20.	The fol	lowing fees are submitted:.						
		L FEE (37 CFR 1.492 (a) (1) -					CALCULATIO	NS PTO USE ONLY
		ort has been prepared by the EPO			\$840.	00		
☐ Inter	nationa	l preliminary examination fee pai	d to USPTO (37 CF	R 1.482)	\$670.00	,		
□ No i but i	nternation nternation	onal preliminary examination fee onal search fee paid to USPTO (3	paid to USPTO (37 7 CFR 1.445(a)(2))	CFR 1.482				
☐ Neitl inter	her inter national	national preliminary examination search fee (37 CFR 1.445(a)(2))	fee (37 CFR 1.482 paid to USPTO) nor	\$970.	00		
☐ Inter	national	preliminary examination fee pairs satisfied provisions of PCT Art	d to LISPTO (37 CF	R 1 482)	\$96.0			
		ENTER APPROPRI	ATE BASIC F	EE AM	OUNT =	=	\$840.00	
Surcharge of	f \$130.0	0 for furnishing the oath or decla liest claimed priority date (37 Cl	ration later than	□ 2	0 🛚 🗷 3	30		
CLAIMS		NUMBER FILED	NUMBER EX	(TR A	RAT	F	\$130.00	
Total claims		4 - 20 =	0		x \$18.0		\$0.00	
Independent	claims	1 - 3=	0	-	x \$78.0	00	\$0.00	
Multiple De	pendent	Claims (check if applicable).					\$0.00	
		TOTAL OF	ABOVE CAL	CULAT	IONS	=	\$970.00	
Reduction of must also be	f 1/2 for filed (N	filing by small entity, if applical Note 37 CFR 1.9, 1.27, 1.28) (che	ole. Verified Small eck if applicable).	Entity Stat	ement		\$0.00	
					ΓΟΤΑL	=	\$970.00	
Processing fe	e of \$13	30.00 for furnishing the English t iest claimed priority date (37 CF	ranslation later than		□ 3			
131 15		sost olamica priority date (57 Ci		FIONIAT	Total In	+	\$0.00	
Fee for record	ding the	enclosed assignment (37 CFR 1.	TOTAL NAT	HONAL	J FEE	=	\$970.00	
åecompanied	by an a	ppropriate cover sheet (37 CFR 3	.28, 3.31) (check in	nent must b f applicable	e).		\$0.00	
			TOTAL FEES	SENCL	OSED	=	\$970.00	
112						A	Amount to be: refunded	\$
525							charged	\$
A ch	eck in th	ne amount of \$970.00	to cover the above	fees is enc	osed.			
Pleas		e my Deposit Account No. copy of this sheet is enclosed.	in the	amount of			to cover the abo	ve fees.
		sioner is hereby authorized to chaccount No. 15-0030 A	arge any fees which duplicate copy of the			edit any	overpayment	
NOTE: Whe 137(a) or (b	ere an a)) must	ppropriate time limit under 37 be filed and granted to restore	CFR 1.494 or 1.495 the application to	5 has not b pending st	een met, a atus.	petition	to revive (37 CF	R
SEND ALL C	ORRES	PONDENCE TO:			\sim	λ	_	Ì
OBLON, SP Crystal Squa	IVAK, are Five	McCLELLAND, MAIER & NI , Fourth Floor	EUSTADT, P.C.]	SIGNATIL	RE	in	
1755 Jeffers	on Davi	s Highway			Norman	l F. Obl	on	
Arlington, V 703-413-300		22202			NAME			
					24,618			
		WILLIAM E. BEAUM				ATION	NUMBER	
		REGISTRATION NUMBE	R 30,996				1.OMDER	
					DATE	<u>wa</u>	14,2000	
					/			

DESCRIPTION

BRAIN-PROTECTIVE AGENT

TECHNICAL FIELD

This invention relates to a brain-protective agent comprising an NF-kB decoy, particularly a brain-protective agent for the brain disorder associated with encephalopathy. More particularly, the invention relates to a brain-protective agent comprising an NF-kB decoy for brain disorders arising from encephalopathy and to a method of protecting the brain which comprises using a brain-protective agent comprising said decoy.

BACKGROUND ART

The transcription factor NF-xB is considered to be related to various diseases such as ischemic, inflammatory and autoimmune diseases, and it is expected that administration of its decoy will be effective in the therapy and prophylaxis of such diseases (WO 96/35430). The transcription factor NF-xB is a heterodimeric complex of p65 and p50 proteins. This factor usually exists in the form of a complex with the inhibitor protein IxB in the cytoplasm and, as such, is prevented from migrating to the nucleus. However, when exposed to a stimulus such as cytokines, ischemia or reperfusion for whatever reason, the IxB is

phosphorylated and hydrolyzed so that the NF-xB is activated and finds its way into the nucleus. NF-xB binds to the NF-xB binding sites on the chromosomes and promotes transcription of the downstream genes. The genes regulated by NF-xB include but are not limited to those encoding cytokines such as IL-1, IL-6, IL-8 and adhesion factors such as VCAM-1 and ICAM-1.

Meanwhile, with regard to encephalopathy, it is known that brain disorders occur from various causes including neuronal death and, therefore, the need for brain-protection has been felt in recent years.

For example, the success rate in the treatment of subarachnoidal hemorrhage originating from a ruptured cerebral aneurysm has increased dramatically since the advent of the operating microscope made aneurysmal clipping a safe operation. However, as to brain disorders such as the cerebral vasospasm following subarachnoid hemorrhage, the mechanisms of onset remain to be elucidated and no effective therapeutic modalities have been established yet.

DISCLOSURE OF INVENTION

The inventors of this invention predicted that activation of the production of cytokines and cell adhesion factors which are under regulation by NF- κ B is one of the causes for triggering brain disorders

associated with encephalopathy (for example, the cerebral vasospasm following a subarachnoidal hemorrhage and apoptosis of the nerve cells following a cerebrovascular accident or serious head injury) and did intensive investigations. As a result, they discovered that for protection of the brain against brain disorders associated with encephalopathy, it is especially effective to administer an NF-xB decoy, that is to say a compound specifically competing with the nucleic acids to which NF-xB binds, and ultimately developed this instant invention.

This invention, therefore, provides a brainprotective agent containing an NF-xB decoy and more
particularly to a brain-protective agent for brain
disorders associated with encephalopathy which
comprises an NF-xB decoy and a method for brainprotection.

The disease or disorder in which the brainprotective agent of this invention can be indicated is
not particularly restricted but, in view of the fact
that it is particularly effective in brain tissues
against disorders caused by unwanted activation of the
genes which are under regulation by the transcription
factor NF-xB, it can be used in the cerebral vasospasm
following subarachnoid hemorrhage, cerebral infarcts

in cerebral thrombosis and cerebral embolism, sequelae of intracranial hemorrhage, cerebrovascular dementia, hydrocephalus, cerebral arterial anomaly-angioma, various brain tumors, Parkinson's syndrome, cerebral arteriosclerosis, meningitis (e.g. bacterial, aseptic and postoperative), encephalitis, AIDS, various types of encephalopathy (Behçet's disease disease, multiple sclerosis) and brain disorders arising from neuronal death caused by serious head trauma. The brain-protective agent comprising an NF-xB decoy which is provided by this invention is particularly suitable for the therapy and prophylaxis of cerebral vasospasm which appears in association with subarachnoid hemorrhage.

The NF-kB decoy for use in this invention need only be a substance which inhibits the activation of genes by NF-kB, more particularly a compound which specifically antagonizes the NF-kBbinding sites of nucleic acid on the chromosomes, thus including a nucleic acid and an analog thereof, among others (WO 96/35430, JP 07-291860A). The preferred example of said NF-kB decoy is an oligonucleotide containing a consensus sequence of the NF-kB binding site, a mutant thereof or a compound containing either of them within its molecule. The oligonucleotide mentioned above may be a DNA or an RNA, or may contain a modified nucleotide

or/and a pseudonucleotide. Furthermore, said oligonucleotide, said mutant or said compound containing either of them within the molecule may be single-stranded or double-stranded, and linear or The mutant means a nucleic acid representing cyclic. a partial mutation, substitution, insertion or deletion of the sequence, which specifically antagonizes the binding sites of nucleic acid to which NF-kB binds. still more preferred NF-xB decoy is a double-stranded oligonucleotide containing one or several units of said nucleotide sequence or a mutant thereof. oligonucleotide for use in this invention includes such as an oligonucleotide (S-oligo) containing thiophosphodiester bonds available upon substitution of a sulfur atom for the oxygen atom of the phosphodiester linkage or a modified oligonucleotide in which a methyl phosphate group carrying no electric charge has been substituted for the phosphodiester bond, as modified to make an oligonucleotide hardly susceptible to decomposition in vivo.

The technology which can be used for the production of the NF- κ B decoy for use in this invention includes general methods for chemical synthesis or biochemical synthesis. For example, when a nucleic acid is used as the NF- κ B decoy, the nucleic acid synthesizing

techniques which are generally used in genetic engineering can be used. For example, the objective decoy nucleotide can be directly synthesized by using a DNA synthesizer or such a nucleic acid, a nucleic acid containing said nucleic acid or a fragment thereof may be synthesized and, then, amplified by PCR or using a cloning vector, for instance. Furthermore, the nucleic acid thus obtained may be digested with restriction enzymes and a ligation reaction may be carried out with a DNA ligase or the like to provide the objective nucleic acid. In addition, for securing the decoy nucleotide which is more stable in the cell, the base, pentose or phosphoric acid moiety of the nucleic acid may be chemically modified, for example by way of alkylation or acylation.

The pharmaceutical composition comprising the NF-xB decoy as an active ingredient in accordance with this invention is not particularly restricted only if the active ingredient may be taken up in the lesioned cell or in the target tissue cells. Thus, the NF-xB decoy can be administered, either as it is or as mixed with a routine carrier, orally, parenterally, topically or in an external application form. The pharmaceutical composition may take a liquid dosage form such as a solution, a suspension, a syrup, a liposomal

preparation, an emulsion or a syrup or a solid dosage form such as tablets, granules, powders and capsules. Where necessary, those preparations may be supplemented with various carriers, auxiliary agents, stabilizers, lubricants and other routine additives, for example lactose, citric acid, tartaric acid, stearic acid, magnesium stearate, terra alba, sucrose, corn starch, talc, gelatin, agar, pectin, peanut oil, olive oil, cacao butter and ethylene glycol.

The particularly preferred and advantageous preparations in the case of using a nucleic acid or a modification product thereof as the NF-kB decoy are the forms which are in common use in the gene transfer technology, for example liposomes such as a membrane-fusion liposome preparation using Sendai virus and the liposomes utilizing endocytosis, preparations containing a cationic lipid such as lipofectoamine (Life Tech Oriental), Tfx50 or the like and viral preparations using a retrovirus vector, an adenovirus vector or the like.

The liposome structure of such liposomal preparations may be any of the large unilamellar vesicle (LUV) structure, multilamellar vesicle (MLV) structure, and small unilamellar vesicle (SUV) structure. While the vesicle size may be 200~10000 nm for LUV, 400~3500

nm for MLV, and about $20 \sim 50$ nm for SUV, it is preferable, in the case of a membrane-fusion liposomal preparation using Sendai virus, to employ an MLV system of $200 \sim 1000$ nm.

The technology for producing liposomes is not particularly restricted only provided that the decoy can be entrapped and held therein. Thus, the objective liposomes can be produced by the conventional methods, for example the reverse phase evaporation method (Szoka, F., et al: Biochim. Biophys. Acta, Vol. 601 559 (1980)), ether injection method (Deamer, D. W.: Ann. N. Y. Acad. Sci., Vol. 308 250 (1978)), and surfactant method (Brunner, J., et al: Biochim. Biophys. Acta, Vol. 455 322 (1976)).

The lipid generally used for the formation of a liposomal structure includes phospholipids, cholesterols and nitrogen-containing lipids but phospholipids are preferred. Thus, native phospholipids such as phosphatidylcholine, phosphatidylserine, phosphatidylglycerol, phosphatidylinositol, phosphatidylethanolamine, phosphatidic acid, cardiolipin, sphingomyelin, egg yolk lecithin, soybean lecithin, lysolecithin, etc., hydrogenation products thereof, which can be obtained by the conventional method, and synthetic phospholipids

such as dicetylphosphate, distearoyl
phosphatidylcholine, dipalmitoyl phosphatidylcholine,
dipalmitoyl phosphatidyl ethanolamine, dipalmitoyl
phosphatidylserine, eleostearoylphosphatidylcholine,
eleostearoyl phosphatidylethanolamine, eleostearoyl
phosphatidylserine, etc. can be employed.

The lipids inclusive of those phospholipids can be used each independently but may be used in a combination of two or more species. In this connection, by using a lipid having a positively charged group-containing moiety within the molecule, such as ethanolamine or choline, the binding rate of a decoy nucleotide which is negatively charged can be increased. In addition to the major component phospholipid, various additives such as cholesterol compounds, stearylamine and/or α -tocopherol, all of which are known as liposome additives, can be used in the formation of said liposomes.

To the liposomes thus obtained, there can be added a membrane fusion promoter, for example Sendai virus, inactivated Sendai virus, a membrane fusion promoting protein purified from Sendai virus, or polyethylene glycol, can be added for promoting the intracellular uptake by the lesioned cells or target tissue cells.

A typical procedure for the production of

liposomes is now described specifically. A typical procedure comprises dissolving the above-described liposome component material and said cholesterol and/or the like in an organic solvent such as tetrahydrofuran, chloroform, ethanol or the like, placing the solution in a suitable vessel and removing the solvent by distillation under reduced pressure to form a membrane of the liposome component material. To this is added a buffer containing the NF-xB decoy, followed by stirring. To the liposomes thus obtained is added said membrane fusion promoter, which is optional, and the liposomes are isolated. The NF-xB decoy-containing liposomes thus obtained are suspended in a suitable buffer or first lyophilized and then redispersed in a suitable solvent for use in the therapy. The membrane fusion promoting substance may be added during the interim period between isolation of liposomes and use.

The decoy content of the resulting preparation containing the NF-kB decoy as a main component can be judiciously selected according to the disease to be treated, target site, dosage form and method of administration.

The NF-kB decoy-containing brain-protective agent can be administered by a variety of alternative methods according to the type of disease and the kind

of decoy used. For example, it can be injected into the cistern (subarachnoid administration).

The dosage of the NF-xB decoy should be judiciously selected according to the patient's age and other factors, the type of disease and the kind of decoy used, among other factors, but for intracisternal administration, for instance, 10~10,000 nmoles per dose can be administered at a judicious timing.

The following example is intended to illustrate this invention in further detail.

EXAMPLES

Construction of the animal model

As experimental animals, male New Zealand White rabbits weighing 2~2.5 kg were used. Each experimental animal was anesthetized with pentobarbital, 20 mg/kg i.v. The auricular artery was cannulated and the arterial blood was harvested. The head was then immobilized in a stereotaxic frame and the atlanto-occipital membrane was exposed by inducing contraction of the nuchal muscle. After 1 ml of cerebrospinal fluid was aspirated off, 1 mg/kg of autologous blood was carefully injected into the cistern (subarachnoid space) over not less than 3 minutes using a 27 G needle. Then, the animal's head was tilted down and kept in that position for 30 minutes so as to flood the basilar artery

with the animal's autologous blood for the construction of a subarachnoid hemorrhage model.

Administration of the decoy

A rabbit NF-kB binding recognition sequence (20 mer; TGGAGGGGCTTTCCCCATAG) (NF-kB decoy group) and a scrambled NF-kB binding recognition sequence (20 mer) (scramble decoy group) were synthesized (Ray, A., Gao, X. & Ray, B. J. Biol. Chem. 270, 29201-29208 (1995)) and, using a cationic liposomal delivery system (Tfx50, Promega, WI, U.S.A.), those oligonucleotides were respectively administered into the cistern two days before the construction of subarachnoid hemorrhage.

For evaluation, angiography was performed 3 days before and 4 days after the construction of subarachnoid hemorrhage and the percent change in diameter of the basilar artery was determined. In addition, a histological investigation using hematoxylin-eosin staining was carried out. NF-xB activity was evaluated by gel shift assay.

Results

Cerebral angiography revealed constrictions down to 69% in the control group and scrambled decoy group but a marked inhibition of vascular narrowing to about 90% in the NF-xB group. Histologically, too, whereas marked decreases in the vascular diameter were found

in the control group and scrambled decoy group, the histological picture in the NF-kB group was almost similar to that of the normal vessel. In gel shift assay, a definite inhibition of activity was noted in the NF-kB decoy group compared with the control group.

CLAIMS .

- 1. A brain-protective agent comprising an NF- κB decoy.
- The brain-protective agent according to Claim
 for the brain disorder arising from encephalopathy.
- The brain-protective agent according to Claim
 wherein the encephalopathy is a cerebrovascular
 accident.
- 4. The brain-protective agent according to Claim

 2 wherein the brain disorder arising from

 encephalopathy is cerebral vasospasm associated with
 subarachnoid hemorrhage.

Abstract

A brain-protective agent containing an NF-kB decoy. In brain diseases, the brain can be particularly effectively protected against brain disorders (for example, cerebral vasospasm following a subrachnoidal hemorrhage and apoptosis of the nerve cells following a cerebrovasucular accident or serious head injury) caused by the undesired activation of cytokines or cell adhesion factors which are regulated by NF-kB by administering the brain-protective agent containing an NF-kB decoy, i.e., acompound antadonistic specifically to a nucleic acid to which NF-kB binds.

Declaration, Power Of Attorney and Petition

Page 1 of 3

WE (I) the undersigned inventor(s), hereby declare(s) that:

BRAIN-PROTECT	CIVE AGENT			
the specification of which				
☐ is attached h	ereto.			
□ was filed on		as		
Application	Serial No.	M ² Miles		
and amende	d on			
🗹 was filed as	PCT international applicat	ion		
Number	Number			
		,		
	d under PCT Article 19	(if applicable)		
on		(ii applicable).		
pecification, including the claim We (I) acknowledge the depplication as defined in Section	ms, as amended by any and any to disclose information 1.56 of Title 37 Code of gn priority benefits under twentor's certificate, or § by other than the United Sapplication for patent or it.	n known to be material to Federal Regulations. r 35 U.S.C. § 119(a)-(d) or 365(a) of any PCT International tates, listed below and have anyentor's certificate, or PCT	the patentabi § 365(b) of a ional applica also identified International	any foreig any foreig ation whic d below, b applicatio
Application No.	Country	Day/Month/Year	Prior Clain	
9/180050	Japan	04/07/97	_ ☑ Yes	□ No
			_ 🗆 Yes	□ No
			_ □ Yes	□ No
			-	

	·com.		12151
	17.	ĵ.	
	ν,		=
		-	
	÷	il in	ì
	;	-	
	1	n.	
	24070	i.	į
	÷.		
		, , ,	
2	111111		
Ĵ	20107		1
	411	=	100
		=	9
	111111	===	Gin)

August 23, 2000 Date

•			
(Application	n Number)	(Filing Date)	
(Application	n Number)	(Filing Date)	
PCT International application design each of the claims of this application in the manner provided by the fi	nating the United States, listed is not disclosed in the prior United rst paragraph of 35 U.S.C. § entability as defined in 37 CFR	below and, insofar as the subject matter of ted States or PCT International application 112, I acknowledge the duty to disclose § 1.56 which became available between the tonal filing date of this application. Status (pending, patented,	
Application Serial No.	Filing Date	abandoned)	
PCT/JP98/03011	July 3, 1998		
		Marvin J. Spivak, Reg. No. 24,913; C. Irvin	
E. Beaumont, Reg. No. 30,996; Robellin Baxter, Reg. No. 32,884; Robert Weihrouch, Reg. No. 32,829; John J. Lipman, Reg. No. 30,011; Carl E. Lipman, Reg. No. 35,299; J. Derek Gadiano, Reg. No. 37,628; Jeffrey F. Chos, Reg. No. 33,128; and Michaelubstitution and revocation, to prospected therewith; and we (I) hereby of OBLON, SPIVAK, McCLELLA Floor, 1755 Jefferson Davis Highway. We (I) declare that all statements and on information and belief are thowledge that willful false statements and belief are thowledge that willful false statements.	ert F. Gnuse, Reg. No. 27,295; Je W. Hahl, Reg. No. 33,893; Ricl T. Goolkasian, Reg. No. 26,142; J. Schlier, Reg. No. 34,426; Jame Mason, Reg. No. 35,270; Surin B. McIntyre, Reg. No. 36,867; P. E. McCabe, Jr., Reg. No. 37,1 secute this application and to trace that all correspondence of ND, MAIER & NEUSTADT, Ly, Arlington, Virginia 22202. made herein of our (my) own believed to be true; and furthe ents and the like so made are put	ent J. Sunderdick, Reg. No. 29,004; William an-Paul Lavalleye, Reg. No. 31,451; Stephen hard L. Treanor, Reg. No. 36,379; Steven P. Richard L. Chinn, Reg. No. 34,305; Steven es J. Kulbaski, Reg. No. 34,648; Richard A. der Sachar, Reg. No. 34,423; Christina M. aul E. Rauch, Reg. No. 38,591; William T. 82; our (my) attorneys, with full powers of ansact all business in the Patent Office conregarding this application be sent to the firm P.C., whose Post Office Address is: Fourth knowledge are true and that all statements r that these statements were made with the nishable by fine or imprisonment, or both, uch willful false statements may jeopardize	
the validity of the application or an	y patent issuing thereon.		
Shigeki Ono NAME OF FIRST SOLE INVENT	Residence	: 1-7-19-803, Higashifurum a-shi, OKAYAMA 700-0921 JA	
ATMIL OF LINOT WANT HATCHIE	Okayanı	a siii, Olaiana 100-0321 UAI	
Shigh Indignature of Inventor	Civiran a	f:Japan	
	Citizen o		
ignature of Inventor		ce Address:	

Date

Isao Date	Residence: 3-6-5, Kitagata,
NAME OF SECOND JOINT INVENTOR	Okayama-shi, OKAYAMA 700-0803 JAPAN
Isac Sorti	Citizen of: Japan
Signature of Inventor	Post Office Address:
	the same as above
<u>April 7, 2000</u> Date	
	Residence:
NAME OF THIRD JOINT INVENTOR	
	Citizen of:
Signature of Inventor	Post Office Address:
Date	
NAME OF FOURTH JOINT INVENTOR	Residence:
Signature of Inventor	Citizen of:
02 6	Post Office Address:
Date	
	Residence:
NAME OF FIFTH JOINT INVENTOR	
	Citizen of:
Signature of Inventor	Post Office Address: